

Platelet-Rich Plasma as a Biocompatible and Safe Antimicrobial Product

Mojgan Pourmokhtar*

**Blood Transfusion Research Center, High Institute for Research and Education in Transfusion Medicine, Tehran, Iran.*

Received December 13, 2021; Revised January 09, 2022; Accepted January 12, 2022

ABSTRACT

Microbial resistance, due to the inappropriate or inadequate use of antibiotics, is a serious and complicated dilemma. Therefore, the use of new effective and safe antimicrobial compounds is of great importance. This mini-review points to the mechanisms involved in antimicrobial properties of platelets and briefly introduces Platelet-rich plasma as an important biocompatible and safe antimicrobial product.

Keywords: Platelet-rich plasma, Microbial infection, Antimicrobial compound, Mechanism

INTRODUCTION

Despite the familiarity of health care systems with microbial infections, awareness of the need to combat them and a wide spectrum of available potent antimicrobial compounds, microbial infection still remains as a serious and complicated dilemma. The main reason for this is the emergence of microbial resistance due to the inappropriate or inadequate use of antibiotics [1].

Therefore, the use of new effective and safe antimicrobial compounds is of great importance.

PLATELET-DERIVED PREPARATIONS

Platelets are small, anucleate and multifunctional blood cells which are necessary for human hemostasis [2]. Furthermore, they have other useful features such as antimicrobial effects, healing properties and tissue regeneration due to the existence of high quantities of critical growth factors (GFs), as well as platelet microbicidal proteins (PMPs), cytokines, chemokines and many other bioactive molecules in their alpha granules [3-10].

This has led to the widespread use of platelet-derived preparations in various clinical areas such as dentistry, orthopedics, dermatology, ophthalmology, plastic surgery, urology, wound healing, sport medicine, rheumatology, maxillofacial surgery, cellular therapy and tissue engineering. At the same time, they have been studied in the research fields of biomaterial and pharmaceutical sciences [11-17].

MECHANISMS INVOLVED IN ANTIMICROBIAL PROPERTIES OF PLATELETS

The antimicrobial effect of platelet-derived preparations is one of the important properties that have been reported in several conducted studies [3,11,18-36].

In fact, Platelets which play important and multifunctional roles in antimicrobial host defense mechanisms, can be considered as key effector cells which bridge innate and adaptive immunity against infection [21,22,37,38].

Some of the most important mechanisms involved in the antimicrobial properties of platelets are:

1. Rapid accumulation of platelets at the sites of microbial infection [2,21]
2. Recognition of microbial signals via pattern recognition receptors (PRRs) [2,39,40]
3. Direct or indirect interactions of platelets with microbial pathogens [2,4,5,41]
4. Increasing blood clearance of pathogens via binding, aggregation, and internalization of pathogens [2,41]
5. Restricting pathogen dissemination [2]
6. Destroying bacterial, fungal, and protozoal pathogens [2]
7. Modulation of complement activation [2,4,5,21,41]
8. Release of platelet microbicidal proteins (PMPs) [4,5,22,27,41-45]
9. Generation of cytotoxic oxygen metabolites and free

Corresponding author: Mojgan Pourmokhtar, Blood Transfusion Research Center, High Institute for Research and Education in Transfusion Medicine, Tehran, Iran, Tel: +98 21 88621248; Fax: +98 21 88601555; E-mail: mpourmokhtar@gmail.com

Citation: Pourmokhtar M. (2022) Platelet-Rich Plasma as a Biocompatible and Safe Antimicrobial Product. J Blood Transfusions Dis, 5(2): 224-227.

Copyright: ©2022 Pourmokhtar M. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

radicals [2,21,39,46]

10. Augmentation of leukocyte antimicrobial activities [2,5,24,47]
11. Facilitation the ability of lymphocytes to recognize and respond to microbial pathogens [2,40]

Accordingly, platelet-derived preparations can be considered as important antimicrobial products due to biocompatibility and biosafety, high clinical efficacy, few adverse effects, ease of preparation and simple legal requirements [6,10,14,48].

PLATELET-RICH PLASMA

Platelet-rich plasma (PRP), one of platelet-derived preparations, was first introduced in 1984 by Assoian [49]. It contains a minimum platelet concentration of more than 1×10^6 /lit or a 2- to 6-fold increase in platelet concentration from baseline [48,50,51]. PRP also contains multiple platelet-derived bioactive molecules and leucocytes which are involved in inflammatory response and antimicrobial properties [20,52].

Platelet-rich plasma can be prepared from the whole blood using double centrifugation protocol in which soft spin and high-speed centrifugation is used respectively [53-56].

However, donor's blood characteristics [57] well as preparation methods and devices [40] cause variations in PRP bioformulations and impact their quality, biological efficacy and clinical outcomes [11,40,58].

Therefore, using PRP preparations as a new achievement to combat microbial infections, requires facing many challenges, including standardization and validation of PRP preparation protocols.

CONCLUSION

Platelet-rich plasma can be considered as an important biocompatible and safe antimicrobial product. However, standardization and validation of PRP preparation protocols are necessary in order to achieve consistent and acceptable outcomes.

REFERENCES

1. Andersson DI, Hughes D (2011) Persistence of antibiotic resistance in bacterial populations. *FEMS Microbiol Rev* 35(5): 901-911.
2. Michelson AD, Cattaneo M, Frelinger AL, Newman PJ (2019) *PLATELETS* Fourth ed. UK, Academic Press.
3. Rostami S, Pourmokhtar M (2018) *In vitro* Evaluation of the antibacterial activity of Platelet-rich Plasma against Selected Oral and Periodontal Pathogens. *Iran J Blood Cancer* 10(2): 35-38.
4. Drago L, Bortolin M, Vassena C, Taschieri S, Del Fabbro M (2013) Antimicrobial activity of pure platelet rich plasma against microorganism isolated from oral cavity. *BMC Microbiol* 13: 47-51.
5. Burnouf T, Chou ML, Wu YW, Su CY, Lee LW (2013) Antimicrobial activity of platelet (PLT)-poor plasma, PLT-rich plasma, PLT gel, and solvent/detergent treated PLT lysate biomaterials against wound bacteria. *Transfusion* 53(1): 138-146.
6. Li H, Li B (2013) PRP as a new approach to prevent infection: Preparation and *in vitro* antimicrobial properties of PRP. *J Vis Exp* 74: e50351.
7. Anitua E, Andia I, Ardanza B, Nurden P, Nurden AT (2004) Autologous platelets as a source of proteins for healing and tissue regeneration. *Thromb Haemost* 91(1): 4-15.
8. Anitua E, Alonso R, Girbau C, Aguirre JJ, Murozabal F, et al. (2012) Antibacterial effect of plasma rich in growth factors (PRGF-Endoret) against *Staphylococcus aureus* and *Staphylococcus epidermidis* strains. *Clin Exp Dermatol* 37(6): 652-657.
9. Cieslik-Bielecka A, Ehrenfest DM, Lubkowska A, Bielecki T (2012) Microbicidal properties of Leukocyte and Platelet-Rich Plasma/Fibrin (L-PRP/L-PRF): new perspectives. *J Biol Regul Homeost Agent* 26(2 Suppl 1): 43S-52S.
10. Filardo G, Previtali D, Napoli F, Candrian C, Zaffagnini S, et al. (2020) PRP Injections for the Treatment of Knee Osteoarthritis: A Meta-Analysis of Randomized Controlled Trials. *Cartilage* 19: 1947603520931170.
11. Jafarzadeh E, Pourmokhtar M, Tavili S (2016) *In Vitro* Evaluation of the Anti-bacterial Effect of Human Platelet Concentrate. *Iran J Blood Cancer* 8(1): 5-8.
12. Strauss FJ, Stähli A, Gruber R (2018) The use of platelet-rich fibrin to enhance the outcomes of implant therapy: A systematic review. *Clin Oral Implant Res* 29: 6-19.
13. Everts PA (2019) Autologous Platelet-Rich Plasma and Mesenchymal Stem Cells for the Treatment of Chronic Wounds. In *Wound Healing-Current Perspectives*; Hakan Dogan, K., Ed.; IntechOpen: London, UK.
14. Andia I, Maffulli N (2018) A contemporary view of platelet-rich plasma therapies: Moving toward refined clinical protocols and precise indications. *Regen Med* 13: 717-728.
15. Andia I, Rubio-Azpeitia E, Martin JI (2015) Current Concepts and Translational Uses of Platelet Rich Plasma Biotechnology. In: Ekinici D (ed). *Biotechnology*, InTech pp: 1-31.
16. Monteiro MR (2013) Platelet rich plasma in dermatology. *Surg Cosmet Dermatol* 5(2): 155-159.

17. Wrotniak M, Bielecki T, Gazdzik TS (2007) Current opinion about using the platelet-rich gel in orthopedics and trauma surgery. *Ortop Traumatol Rehabil* 9: 227-238.
18. Feng M, Wang Y, Zhang P, Zhao Q, Yu S, et al. (2020) Antibacterial effects of platelet-rich fibrin produced by horizontal centrifugation. *Int J Oral Sci* 12: 32.
19. Jasmine S, Thangavelu A, Janarthanan K, Krishnamoorthy R, Alshatwi AA (2020) Antimicrobial and antibiofilm potential of injectable platelet rich fibrin-a second-generation platelet concentrate-against biofilm producing oral staphylococcus isolates. *Saudi J Biol Sci* 27(1): 41-46.
20. Smith OJ, Wicaksana A, Davidson D, Spratt D, Mosahebi A (2021) An evaluation of the bacteriostatic effect of platelet-rich plasma. *Int Wound J* 18(4): 448-456.
21. Yeaman MR (2014) Platelets: At the nexus of antimicrobial defense. *Nat Rev Microbiol* 12(6): 426-437.
22. Yeaman MR (2010) Platelets in defense against bacterial pathogens. *Cell Mol Life Sci* 67: 525-544.
23. Bielecki TM, Gazdzik TS, Arendt J, Szczepanski T, Krol W, et al. (2007) Antibacterial effect of autologous platelet gel enriched with growth factors and other active substances: An *in vitro* study. *J Bone Joint Surg Br* 89: 417-420.
24. Moojen DJ, Everts PA, Schure RM, Overdevest EP, van Zundert A, et al. (2008) Antimicrobial activity of platelet-leukocyte gel against *Staphylococcus aureus*. *J Orthop Res* 26: 404-410.
25. Intravia J, Allen DA, Durant TJ, McCarthy MB, Russell R, et al. (2004) *In vitro* evaluation of the anti-bacterial effect of two preparations of platelet rich plasma compared with cefazolin and whole blood. *Muscle Ligament Tendon J* 4(1): 79-84.
26. Wang Q, Qian Z, Liu B, Liu J, Zhang L, et al. (2019) *In vitro* and *in vivo* evaluation of new PRP antibacterial moisturizing dressings for infectious wound repair. *J Biomater Sci Polym* 30: 462-485.
27. Li T, Ma Y, Wang M, Wang T, Wei J, et al. (2019) Platelet-rich plasma plays an antibacterial, anti-inflammatory and cell proliferation promoting role in an *in vitro* model for diabetic infected wounds. *Infect Drug Resist* 12: 297-309.
28. Fabbro MD, Bortolin M, Taschieri S, Ceci C, Weinstein RL (2016) Antimicrobial properties of platelet-rich preparations. A systematic review of the current pre-clinical evidence. *Platelets* 27(4): 276-285.
29. Zhang W, Guo Y, Kuss M, Shi W, Aldrich AL, et al. (2019) Platelet-rich plasma for the treatment of tissue infection: Preparation and clinical evaluation. *Tissue Eng Part B Rev* 25(3): 225-236.
30. Cetinkaya RA, Yenilmez E, Petrone P (2019) Platelet-rich plasma as an additional therapeutic option for infected wounds with multi-drug resistant bacteria: *In vitro* antibacterial activity study. *Eur J Trauma Emerg Surg* 45(3): 555-565.
31. Aggour R, Gamil L (2017) Antimicrobial effects of platelet-rich plasma against selected oral and periodontal pathogens. *Pol J Microbiol* 66(1): 31-37.
32. Mariani E, Filardo G, Canella V (2014) Platelet-rich plasma affects bacterial growth *in vitro*. *Cytotherapy* 16(9): 1294-1304.
33. Badade P, Mahale S, Panjwani A, Vaidya P, Warang A (2016) Antimicrobial effect of platelet-rich plasma and platelet-rich fibrin. *Indian J Dent Res* 27(3): 300-304.
34. Cieslik-Bielecka A, Bold T, Ziolkowski G, Pierchala M, Krolkowska A, et al. (2018) Antibacterial activity of leukocyte and platelet-rich plasma: An *in vitro* study. *Biomed Res Int* 2018: 9471723.
35. Yang LC, Hu SW, Yan M, Yang JJ, Tsou SH, et al. (2015) Antimicrobial activity of platelet-rich plasma and other plasma preparations against periodontal pathogens. *J Periodontol* 86(2): 310-318.
36. Clawson CC, Rao GHR, White JG (1975) Platelet interaction with bacteria. IV. Stimulation of the release reaction. *Am J Pathol* 81: 411-420.
37. Youssefian T, Drouin A, Masse JM (2002) Host defense role of platelets: Engulfment of HIV and *Staphylococcus aureus* occurs in a specific subcellular compartment and is enhanced by platelet activation. *Blood* 99: 4021-4029.
38. Deppermann C, Kubes P (2018) Start a fire, kill the bug: The role of platelets in inflammation and infection. *Innate Immun* 24(6): 335-348.
39. Everts P, Onishi K, Jayaram P, Lana JF, Mautner K (2020) Platelet-Rich Plasma: New Performance Understandings and Therapeutic Considerations in 2020. *Int J Mol Sci* 21(20): 7794.
40. Tang YQ, Yeaman MR, Selsted ME (2002) Antimicrobial peptides from human platelets. *Infect Immun* 70(12): 6524-6533.
41. Krijgsveld J, Zaat SA, Meeldijk J, Van Veelen PA, Fang G, et al. (2000) Thrombocidins, microbicidal proteins from human blood platelets, are C-terminal deletion products of Cxc chemokines. *J Biol Chem* 275: 20374-20381.

42. Radek K, Gallo R (2007) Antimicrobial peptides: Natural effectors of the innate immune system. *Semin Immunopathol* 29(1): 27-43.
43. Blair P, Flaumenhaft R (2009) Platelet alpha-granules: Basic biology and clinical correlates. *Blood Rev* 23: 177-189.
44. Tohidnezhad M, Varoga D, Wruck CJ, Podschun R, Sachweh BH, et al. (2012) Platelets display potent antimicrobial activity and release human beta-defensin 2. *Platelets* 23(3): 217-223.
45. The generation of free radicals by platelets. In: *Immunopharmacology of platelets*. Joseph M, ed. London: Academic Press; 1995. pp: 209-225.
46. Jianguo C, Yingying W, Yan L, Haiyue J (2020) The application of platelet-rich plasma for skin graft enrichment: A meta-analysis. *Int Wound J* 17: 1650-1658.
47. Pourmokhtar M, Abedi M (2020) Skin rejuvenation using platelet-rich plasma products. *Razi J Med Sci* 27(8): 1-9.
48. Assoian RK, Grotendorst GR, Miller DM, Sporn MB (1984) Cellular transformation by coordinated action of three peptide growth factors from human platelets. *Nature* 309(5971): 804-806.
49. Lansdown DA, Fortier LA (2017) Platelet-rich plasma: Formulations, preparations, constituents, and their effects. *Oper Tech Sports Med* 25: 7-12.
50. Haunschild, ED, Huddleston HP, Chahla J, Gilat R, Cole BJ, et al. (2020) Platelet-Rich Plasma Augmentation in Meniscal Repair Surgery: A Systematic Review of Comparative Studies. *Arthrosc J Arthrosc Relat Surg* 36: 1765-1774.
51. Smith OJ, Jell G, Mosahebi A (2019) The use of fat grafting and platelet-rich plasma for wound healing: A review of the current evidence. *Int Wound J* 16(1): 275-285.
52. Pourmokhtar M, Moghaddam SE, Abbasi F, Zarei N (2014) Comparative Study of Four Platelet-Rich Plasma Methods for Preparing Platelet Concentrates. *Iran J Blood Cancer* 3: 103-107.
53. Vassallo RR, Murphy S (2006) A critical comparison of platelet preparation methods. *Curr Opin Hematol* 13(%): 323-330.
54. Tynngård N (2009) Preparation, storage and quality control of platelet concentrates. *Transfus Apher Sci*. 41(2): 97-104.
55. Pourmokhtar M, Jalili MA, Rafiei MH (2016) Basic and applied concepts in platelets: The biochemical approach. Tehran; Zohd-IBTO, 2016: 71-122.
56. Beitzel K, Allen D, Apostolakos J, Russell R, McCarthy M, et al. (2014) US Definitions, Current Use, and FDA Stance on Use of Platelet-Rich Plasma in Sports Medicine. *J Knee Surg* 28: 29-34.
57. Li M, Zhang C, Yuan T, Chen S, Lü R (2011) Assessment study on a set of platelet-rich plasma preparation. *Zhongguo Xiu Fu Chong Jian Wai Ke Za Zhi* 25(1): 112-116.
58. Sundman EA, Cole BJ, Fortier LA (2011) Growth Factor and Catabolic Cytokine Concentrations Are Influenced by the Cellular Composition of Platelet-Rich Plasma. *Am J Sport Med* 39: 2135-2140.